

VILLAGE OF NEW LONDON

NEW LONDON, OHIO

SPECIFICATIONS FOR WHITE AVENUE STORM SEWER IMPROVEMENTS

ADDENDUM NO. 1

December 7, 2010

All prospective bidders are hereby notified that this addendum forms a part of the contract documents and modifies the original bidding documents dated November, 2010. Acknowledge receipt of this addendum in the space provided in the bid proposal section of the specifications. Failure to do so may subject the bidder to disqualification.

PREPARED BY:

GGJ, INC.
35585 Curtis Blvd., Unit C
Eastlake, Ohio 44095
(440) 953-1567 (voice)
(440) 953-0580 (fax)

****THIS ADDENDUM IS BEING TRANSMITTED VIA
FAX ONLY. NO "HARD COPY" WILL BE SENT.****

**Please acknowledge receipt by signing below
and faxing back this cover sheet only ASAP
to (440)953-0580.**

COMPANY _____

NAME _____

DATE _____

CONTRACT DRAWINGS

1. SHEET 5 &6 (PROFILES)

REPLACE the callout for Storm MH #4 from 60" to 72".

CONTRACT SPECIFICATIONS

2. SECTION 00300 (BID PROPOSAL FORM)

REPLACE this section with the attached Section 00300. (A bid item for 72" Storm Manhole was added and quantity for bid item 13 was adjusted.)

CLARIFICATIONS FROM PRE BID MEETING

1. The Village of New London has a dump site in the Village that will accept any spoils from this project for no charge.
2. The roadway trench and sidewalk areas removed may be stoned until they are paved.
3. A pre construction video is required. Details in spec section 01500.
4. As Built Drawings will be required. Details in spec section 01011, page 5.
5. The gas company will be working on relocating the gas lines that are in conflict as shown on the drawings during the month of January. The contractor may start work during this time, but no delays due to the gas company relocation work will be considered until after February 1st.
6. Traffic during construction was discussed with the Contractor to maintain 1 lane of traffic when possible but he will be able to close the road to all traffic in his immediate work zone, keeping in mind that he must be ready to let emergency vehicles pass when necessary.
7. Recycled material for premium backfill will be acceptable as long as it is in conformance with the ODOT 304 specification.
8. Village water supply will be made available to the contractor at no charge, but not from the hydrants.
9. With regard to the minor water line improvements, the entire segment of waterline will not be required to be disinfected as long as the work area remains dry and no sediment laden storm water is allowed to enter the waterline.
10. Additional testing that will be enforced will be a mandrel test of all storm sewers. Other testing that is listed in the specifications may be required if deemed necessary by the resident observer.

VILLAGE OF NEW LONDON, OHIO
WHITE AVENUE STORM SEWER IMPROVEMENTS

BASIS OF PAYMENT

GENERAL: Payment for the work Items shall be at the total unit or lump sum price Bid for each unit of work completed and accepted in accordance with the Contract Documents.

The latest "State of Ohio, Department of Transportation, Construction and Material Specifications" manual shall govern the material and procedures used in this project, if not otherwise specified in the project Specifications or noted on the Drawings.

PRICES TO INCLUDE: For each Bid Item, the total unit price or lump sum price Bid shall be considered full compensation for the completed and accepted work, and shall include all labor, materials, tools, equipment and transportation needed to perform the work in accordance with the Contract Documents so as to provide a complete and properly functional system. The General Contractor shall be responsible for reviewing the contents and conditions of all Contract Documents as they may relate to the work under this Contract and comply with the requirement thereof.

ITEM 1 - BONDS AND INSURANCE

A. Payment:

1. The lump sum amount stated in the Bid Schedule for bonds and insurance shall include all bonds and insurance required to be in force at the commencement of the work. Successful bidder will be required to provide receipts verifying the actual costs of this item when known.
2. Subsequent expenses for bonds and insurance as may be necessary throughout the contract period for changes to the contract or for other occurrences, shall not be a part of this item.
3. Fees for bonds and insurance due to changes in the work shall be respectively a part of the cost of that work.

ITEM 2 - MOBILIZATION

A. Work included: As described in Section 00800 Supplementary Conditions SC-22 and other work incidental to this Item.

B. Payment: Lump Sum price with payments as specified in Section 00800 Supplementary Conditions SC-22.

ITEM 3 – MAINTENANCE OF TRAFFIC

A. Description: This work in this Item shall consist of work shall consists of maintaining and protecting vehicular and pedestrian traffic at the work area while the contract is in force, in accordance with the latest Ohio Department of Transportation Construction and Material Specifications, including all current supplemental specifications and standard construction drawings and all specifications and drawings in these Contract Documents and in this contract book.

B. Payment: The Lump Sum Price bid for Item Maintaining Traffic shall include the cost of removal of conflicting pavement markings and placement of interim markings, maintaining the existing roadways in a safe condition for public use, providing flaggers and their equipment, furnishing and maintaining and subsequently removing temporary traffic control items as required by the plans and specifications.

ITEM 4 – RESTORATION: TOPSOIL, SEEDING & MULCHING

- A. Description: The quantity of each type of restoration: topsoil, seeding and mulching will be measured for unit price payment purposes will be the number of square yards of topsoil, seeding and mulching acceptably placed and compacted when required per detail as specified over an area with the contract (pay) limits.
- B. Payment: The unit price stipulated to be paid per square yard of restoration: topsoil, seeding and mulching work performed and measured for payment purposes shall be full compensation for the actual number of square yards furnished and installed which is directly or indirectly caused by the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.

ITEM 5 – TREE REMOVED, 12" DIAMETER AND SMALLER

- A. Description: This work in this Item shall consist of the removal of existing trees as shown on the Drawings and/or Specifications.
- B. Payment: The unit price stipulated shall be full compensation for each tree removed, including stump. The price shall include furnishing labor, backfill, compaction, sheeting, shoring, restoring all disturbed areas and utilities to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.
- C. Disposal of trees shall be as follows:
 - 1. All removed material shall be disposed of by the Contractor at his own expense.

ITEM 6 – TREE REMOVED, LARGER THAN 12" DIAMETER

- A. Description: This work in this Item shall consist of the removal of existing trees as shown on the Drawings and/or Specifications.
- B. Payment: The unit price stipulated shall be full compensation for each tree removed, including stump. The price shall include furnishing labor, backfill, compaction, sheeting, shoring, restoring all disturbed areas and utilities to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.
- C. Disposal of trees shall be as follows:
 - 1. All removed material shall be disposed of by the Contractor at his own expense.

ITEM 7 – CATCH BASIN REMOVED

- A. Description: This work in this Item shall consist of the removal of existing catch basins as shown on the Drawings and/or Specifications.
- B. Payment: The unit price stipulated shall be full compensation for each catch basin removed. The price shall include furnishing labor, backfill, compaction, sheeting, shoring, restoring all disturbed areas and utilities to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.
- C. Disposal of Catch Basins shall be as follows:
 - 1. All removed material shall be disposed of by the Contractor at his own expense.
 - 2. All castings shall be stored by the contractor for salvage by the Village

ITEM 8 – 4" CONCRETE SIDEWALK REMOVAL AND REPLACEMENT

- A. Description: This item of work shall consist of constructing concrete walks in reasonable close conformity with lines, grades and dimensions shown on the plans or established by the Engineer.
- B. Payment: The unit price stated for 4" concrete sidewalk walk shall be full compensation for the actual number of square foot, calculated from pay limits, including labor, excavation, backfill, base course, expansion joint, truncated dome pavers, forming, removal of existing sidewalks, and excavation and removal of all excavated material, completed in compliance with the contract Drawings and Specifications.

ITEM 9 – CONCRETE DRIVEWAY APRON REMOVAL & REPLACEMENT

- A. Description: This work shall consist of removal and disposal of existing driveway materials and constructing a pavement composed of unreinforced Portland cement concrete shown on the plans and specifications.
- B. Payment: The unit price stipulated shall be paid per square yard installed of this item, and shall be full compensation for removal, disposal, furnishing and placing all materials including labor, equipment, excavation, backfill, base course, expansion joint, forming and saw cutting to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.

ITEM 10 – ASPHALT DRIVEWAY APRON REMOVAL & REPLACEMENT

- A. Description: This work shall consist of removal and disposal of existing driveway materials and constructing an asphalt pavement as shown on the plans and specifications.
- B. Payment: The unit price stipulated shall be paid per square yard installed of this item, and shall be full compensation for removal, disposal, furnishing and placing all materials including labor, equipment, excavation, backfill, base course, expansion joint, and saw cutting to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.

ITEM 11 – GRAVEL DRIVEWAY APRON REMOVAL & REPLACEMENT

- A. Description: This work shall consist of removal and disposal of existing driveway materials and constructing gravel driveway as shown on the plans and specifications.
- B. Payment: The unit price stipulated shall be paid per square yard installed of this item, and shall be full compensation for removal, disposal, furnishing and placing all materials including labor, equipment, and saw cutting to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.

ITEM 12 – VERTICAL CURB, TYPE 6

- A. Description: This work shall consist of the construction of Type 6 Curb and shall conform to the plans and specifications.
- B. Payment: The unit price stipulated to be paid for each linear foot of Type 6 Curb shall be full compensation for the actual number of linear feet installed including all labor, laying, restoring all disturbed areas, and all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.

ITEM 13 – TYPE C PAVEMENT REPLACEMENT

- A. Description: The work in this Item shall consist of the Type C pavement replacement in the areas shown on the Drawings.
- B. Payment: The unit price stipulated to be paid for each square yard of Type C Pavement Replacement shall be full compensation for the actual number of square yards, calculated from payment limits as called for in the contract drawings, completed in compliance with the contract drawings and specifications and accepted for payment purposes and shall include furnishing all labor, materials, tools, appliances and equipment necessary thereto and, in connection with same, restore all disturbed site features and other items plus provide all appurtenances to

complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.

ITEM 14 - CATCH BASIN TYPE 2-3

- A. Description: The work in this Item shall consist of the construction of Catch Basins of the type and sizes shown on the Drawings and /or Specifications and shall include excavation, bedding, and backfill.
- B. Payment: The unit price for each precast catch basin shall be full compensation for the catch basin, furnished, installed, and connected in accordance with the Drawings and Specifications including excavation, backfill, labor material, frame and grates, equipment, and restoration.

ITEM 15 - CATCH BASIN TYPE 2-2B

- A. Description: The work in this Item shall consist of the construction of Catch Basins of the type and sizes shown on the Drawings and /or Specifications and shall include excavation, bedding, and backfill.
- B. Payment: The unit price for each precast catch basin shall be full compensation for the catch basin, furnished, installed, and connected in accordance with the Drawings and Specifications including excavation, backfill, labor material, frame and grates, equipment, and restoration.

ITEM 16– 12" RCP SEWER PIPE

- A. Description: The work in this Item shall consist of furnishing and installing RCP Storm Sewer Pipe as shown on the Drawings and/or specified, including removal and disposal of existing sewers. Measurements shall be made on a linear foot basis for the actual work performed under this item, measured along the horizontal projection of the longitudinal axis of the pipe.
- B. Payment: The unit price stated on the Bid Schedule shall be compensation for each lineal foot of pipe installed including all fittings and plugs measured for payment. The price shall include furnishing labor, backfill, compaction, laying, sheeting, shoring, inspection, testing of pipe and fittings, restoring all disturbed areas and utilities, removing existing sewers, plugging existing sewers, and all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for –use installation.

ITEM 17 – 8" HDPE SEWER PIPE

- A. Description: The work in this Item shall consist of furnishing and installing HDPE Storm Sewer Pipe as shown on the Drawings and/or specified, including removal and disposal of existing sewers. Measurements shall be made on a linear foot basis for the actual work performed under this item, measured along the horizontal projection of the longitudinal axis of the pipe.
- B. Payment: The unit price stated on the Bid Schedule shall be compensation for each lineal foot of pipe installed including all fittings and plugs measured for payment. The price shall include furnishing labor, backfill, compaction, laying, sheeting, shoring, inspection, testing of pipe and fittings, restoring all disturbed areas and utilities, removing existing sewers, plugging existing sewers, and all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for –use installation.

ITEM 18 – 12" HDPE SEWER PIPE

- A. Description: The work in this Item shall consist of furnishing and installing HDPE Storm Sewer Pipe as shown on the Drawings and/or specified, including removal and disposal of existing sewers. Measurements shall be made on a linear foot basis for the actual work performed under this item, measured along the horizontal projection of the longitudinal axis of the pipe.
- B. Payment: The unit price stated on the Bid Schedule shall be compensation for each lineal foot of pipe installed including all fittings and plugs measured for payment. The price shall include furnishing labor, backfill, compaction, laying, sheeting, shoring, inspection, testing of pipe and fittings, restoring all disturbed areas and utilities, removing existing sewers, plugging existing sewers, and all appurtenances to complete the work as

shown on the Drawings and specified in the Contract Documents for a complete and ready-for –use installation.

ITEM 19 – 15" HDPE SEWER PIPE

- A. Description: The work in this Item shall consist of furnishing and installing HDPE Storm Sewer Pipe as shown on the Drawings and/or specified, including removal and disposal of existing sewers. Measurements shall be made on a linear foot basis for the actual work performed under this item, measured along the horizontal projection of the longitudinal axis of the pipe.
- B. Payment: The unit price stated on the Bid Schedule shall be compensation for each lineal foot of pipe installed including all fittings and plugs measured for payment. The price shall include furnishing labor, backfill, compaction, laying, sheeting, shoring, inspection, testing of pipe and fittings, restoring all disturbed areas and utilities, removing existing sewers, plugging existing sewers, and all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for –use installation.

ITEM 20 – 24" HDPE SEWER PIPE

- A. Description: The work in this Item shall consist of furnishing and installing HDPE Storm Sewer Pipe as shown on the Drawings and/or specified, including removal and disposal of existing sewers. Measurements shall be made on a linear foot basis for the actual work performed under this item, measured along the horizontal projection of the longitudinal axis of the pipe.
- B. Payment: The unit price stated on the Bid Schedule shall be compensation for each lineal foot of pipe installed including all fittings and plugs measured for payment. The price shall include furnishing labor, backfill, compaction, laying, sheeting, shoring, inspection, testing of pipe and fittings, restoring all disturbed areas and utilities, removing existing sewers, plugging existing sewers, and all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for –use installation.

ITEM 21 – 30" HDPE SEWER PIPE

- A. Description: The work in this Item shall consist of furnishing and installing HDPE Storm Sewer Pipe as shown on the Drawings and/or specified, including removal and disposal of existing sewers. Measurements shall be made on a linear foot basis for the actual work performed under this item, measured along the horizontal projection of the longitudinal axis of the pipe.
- B. Payment: The unit price stated on the Bid Schedule shall be compensation for each lineal foot of pipe installed including all fittings and plugs measured for payment. The price shall include furnishing labor, backfill, compaction, laying, sheeting, shoring, inspection, testing of pipe and fittings, restoring all disturbed areas and utilities, removing existing sewers, plugging existing sewers, and all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for –use installation.

ITEM 22 – 36" HDPE SEWER PIPE

- A. Description: The work in this Item shall consist of furnishing and installing HDPE Storm Sewer Pipe as shown on the Drawings and/or specified, including removal and disposal of existing sewers. Measurements shall be made on a linear foot basis for the actual work performed under this item, measured along the horizontal projection of the longitudinal axis of the pipe.
- B. Payment: The unit price stated on the Bid Schedule shall be compensation for each lineal foot of pipe installed including all fittings and plugs measured for payment. The price shall include furnishing labor, backfill, compaction, laying, sheeting, shoring, inspection, testing of pipe and fittings, restoring all disturbed areas and utilities, removing existing sewers, plugging existing sewers, and all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for –use installation.

ITEM 23 – CONCRETE HEADWALL

- A. Measurement: Shall be made on a unit basis for each headwall actually installed under this item.
- B. Payment: The unit price stipulated to be paid for outfall headwall shall be full compensation for each headwall installed including furnishing, excavation, backfill, compacting, concrete work, pipe anchoring, rip-rap, and other items as per headwall detail.

ITEM 24 – STORM MANHOLE– 48" BASE

- A. Description: The work in this Item shall consist of the construction of Manholes of the type and sizes shown on the Drawings and /or Specifications and shall include excavation, bedding, and backfill.
- B. Payment: For each Item – Manholes, shall be as stated below:
 - 1. The unit price for each precast manhole shall be full compensation for the manholes, furnished, installed, and connected in accordance with the Drawings and Specifications including excavation, backfill, labor material, frame and grates, equipment and restoration.
 - 2. The unit price stated in the Bid Schedule shall include precast sections, waterproofing, manhole steps, grade adjusting, labor, construction, backfill, compaction, regular and drop manhole connections, frame and covers, restoration of all disturbed areas and utilities, and all other appurtenances for the work shown on the Drawings and/or specified in the Construction Documents for a complete and ready-for-use installation.

ITEM 25 – STORM MANHOLE– 60" BASE

- A. Description: The work in this Item shall consist of the construction of Manholes of the type and sizes shown on the Drawings and /or Specifications and shall include excavation, bedding, and backfill.
- B. Payment: For each Item – Manholes, shall be as stated below:
 - 1. The unit price for each precast manhole shall be full compensation for the manholes, furnished, installed, and connected in accordance with the Drawings and Specifications including excavation, backfill, labor material, frame and grates, equipment and restoration.
 - 2. The unit price stated in the Bid Schedule shall include precast sections, waterproofing, manhole steps, grade adjusting, labor, construction, backfill, compaction, regular and drop manhole connections, frame and covers, restoration of all disturbed areas and utilities, and all other appurtenances for the work shown on the Drawings and/or specified in the Construction Documents for a complete and ready-for-use installation.

ITEM 26 – STORM MANHOLE– 72" BASE

- A. Description: The work in this Item shall consist of the construction of Manholes of the type and sizes shown on the Drawings and /or Specifications and shall include excavation, bedding, and backfill.
- B. Payment: For each Item – Manholes, shall be as stated below:
 - 1. The unit price for each precast manhole shall be full compensation for the manholes, furnished, installed, and connected in accordance with the Drawings and Specifications including excavation, backfill, labor material, frame and grates, equipment and restoration.
 - 2. The unit price stated in the Bid Schedule shall include precast sections, waterproofing, manhole steps, grade adjusting, labor, construction, backfill, compaction, regular and drop manhole connections, frame and covers, restoration of all disturbed areas and utilities, and all other appurtenances for the work shown on the Drawings and/or specified in the Construction Documents for a complete and ready-for-use installation.

ITEM 27 – 6" POLYVINYL CHLORIDE (PVC) SEWER PIPE, SDR 35 (SANITARY)

- A. Description: The work in this Item shall consist of furnishing and installing PVC Sanitary Sewer Pipe as shown on the Drawings and/or specified, including removal and disposal of existing sewers. Measurements shall be made on a linear foot basis for the actual work performed under this item, measured along the horizontal projection of the longitudinal axis of the pipe.
- B. Payment: The unit price stated on the Bid Schedule shall be compensation for each linear foot of pipe installed including all fittings and plugs measured for payment. The price shall include furnishing labor, backfill, compaction, laying, sheeting, shoring, inspection, testing of pipe and fittings, restoring all disturbed areas and utilities, removing existing sewers, and all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.

ITEM 28 – 4" DIP CLASS 52 WATER MAIN & FITTINGS

- A. Description: The work in this Item shall consist of furnishing and installing waterline as shown on the Drawings and/or specified. Measurements shall be made on a linear foot basis for the actual work performed under this item, measured along the horizontal projection of the longitudinal axis of the pipe.
- B. Payment: The unit price in the Bid Schedule shall be full compensation for each linear foot of waterline installed and measured for payment. The price shall include furnishing, all fittings required including the cost of fittings and plugs, excavation, backfill, compaction, laying, sheeting, shoring, inspection, testing of pipe and fittings, disinfection of potable waterlines, restoring all disturbed areas and utilities, and all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.

ITEM 29 – 4" DIP CLASS 52 WATER MAIN & FITTINGS, W/ FROST PROOFING

- A. Description: The work in this Item shall consist of furnishing and installing waterline as shown on the Drawings and/or specified. Measurements shall be made on a linear foot basis for the actual work performed under this item, measured along the horizontal projection of the longitudinal axis of the pipe.
- B. Payment: The unit price in the Bid Schedule shall be full compensation for each linear foot of waterline installed and measured for payment. The price shall include furnishing, all fittings required including the cost of fittings and plugs, excavation, backfill, compaction, laying, sheeting, shoring, inspection, testing of pipe and fittings, disinfection of potable waterlines, restoring all disturbed areas and utilities, and all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.

ITEM 30 – ¾" TYPE K COPPER CONNECTION

- A. Description: The work in this Item shall consist of furnishing and installing ¾" Type "K" Copper Residential Water Service Connections and shut-off valves from the main waterline to new shut-off valves or meters within the right-of-way. Measurement shall be on each installed and accepted basis.
- B. Payment: The unit price stipulated to be paid for each ¾" Type "K" Copper Residential Water Service Connection shall be full compensation for the actual number furnished, installed in place, connected, tested and accepted including furnishing, storage, labor, materials, tools, appliances and equipment necessary to provide and construct each new connection as specified and, in connection with same, to excavate, bed, backfill, shore, sheet, clear site, remove existing water services, restore all disturbed utilities and site features plus provide all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for use installation.

ITEM 31 – RELOCATE HYDRANT ASSEMBLY

- A. Description: The work in this Item shall consist removing and re-installing fire hydrant assemblies as per the plans and specifications. Measurement shall be on an each installed and accepted basis.
- B. Payment: The unit price stipulated to be paid for each Hydrant Assembly relocated shall be full compensation for the actual number of same installed, tested, including valve, operating mechanism(s), extension stem(s), valve boxes, wrenches, glands, gaskets, connecting bolts and all other appurtenant parts and equipment measured and accepted for payment purposes and shall include furnishing labor, materials, tools, appliances and equipment necessary to provide and construct each installation with shut-off valve, box and cover as specified

and, in connection with same, to excavate, bed, backfill, shore, sheet, clear site, restore all disturbed utilities, structures, and site features plus provide all appurtenances to complete the work as shown on the Drawings and specified in the Contract Documents for a complete and ready-for-use installation.

THIS PAGE INTENTIONALLY LEFT BLANK

PROPOSAL TO THE VILLAGE OF NEW LONDON, OHIO
WHITE AVENUE STORM SEWER IMPROVEMENTS

TO: MR. SHAWN TAPPEL, VILLAGE ADMINISTRATOR
VILLAGE OF NEW LONDON
115 E. MAIN STREET
NEW LONDON, OHIO 44851

Gentlemen:

Proposal of _____ (hereinafter called "BIDDER"), organized and existing under the laws of the State of Ohio doing business as _____.
To the VILLAGE OF NEW LONDON (hereinafter called "Owner").

In compliance with your Advertisement for Bids, BIDDER hereby proposes to perform all WORK for the construction of the WHITE AVENUE STORM SEWER IMPROVEMENTS in strict accordance with the CONTRACT DOCUMENTS, within the time set forth therein, and at the prices stated below.

By submitting this BID, the BIDDER, or in the case of a joint BID, each party thereto, certifies as to its own organization, that this BID has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this BID with any other BIDDER or with any competitor.

The undersigned have full knowledge of the project site, Drawings, and the conditions of the proposal. The undersigned also, hereby agrees to furnish all the services, labor, materials and equipment necessary to complete these projects according to the Drawings and Specifications and to accept as full compensation the lump sum or unit prices stated in the Bid Schedule for the work and for use when calculating the price of a deduction or an increase in quantities.

BIDDER hereby agrees to commence WORK under this Contract on or before a date to be specified in the NOTICE TO PROCEED and to fully complete the PROJECT within the period stipulated in the INSTRUCTIONS TO BIDDERS. BIDDER further agrees to pay as liquidated damages and that the CITY may retain from monies that are, or which may become due. The amount of such liquidated damages shall be as stipulated in the CONTRACT AGREEMENT FORM (Section 00500 herein).

* Insert "a corporation", "a partnership", or "an individual" as applicable.

The Bidder hereby acknowledges receipt of the following addenda:

<u>ADDENDUM NO.</u>	<u>DATE</u>
<hr/>	<hr/>
<hr/>	<hr/>
<hr/>	<hr/>

We further agree that the Owner may reject any or all bids.

SUBMITTED BY:

Firm, Corporation or Individual

Address

Telephone Number

Contractor License Number

Signature:

 Date:

NOTE: Evidence of authority to sign and the corporate seal must be affixed and attested by the Secretary.

COMPLETION DATE: 150 Calendar Days commencing on the date as shown on Notice to Proceed for Final Completion.

PROPOSAL TO THE VILLAGE OF NEW LONDON, OHIO
WHITE AVENUE STORM SEWER IMPROVEMENTS

BID SCHEDULE

Bid Item Number	Item Description	Est. Qty.	Unit	Unit Cost Labor	Unit Cost Materials	Total Unit Cost	Total Cost
General							
1	Bonds and Insurance	1	Lump Sum				
2	Mobilization	1	Lump Sum				
3	Maintenance of Traffic	1	Lump Sum				
Miscellaneous							
4	Restoration: Topsoil, seeding, and mulching	2036	SY				
5	Tree Removed - 12" Dia. and smaller	4	Each				
6	Tree Removed - Larger than 12" Dia.	6	Each				
7	Catch Basin Removed	7	Each				
Roadway							
8	4" Concrete Sidewalk	3200	SF				
9	Concrete Drive Apron Removal and Replacement	83	SY				
10	Asphalt Drive Apron Removal and Replacement	83	SY				
11	Gravel Drive Apron Removal and Replacement	158	SY				
12	Vertical Curb, Type 6	10	LF				
13	Type C Pavement Replacement	620	SY				
Drainage							
14	Catch Basin Type 2-3	5	Each				
15	Catch Basin Type 2-2B	4	Each				
16	12" RCP Sewer Pipe	36	LF				
17	8" HDPE Sewer Pipe	18	LF				
18	12" HDPE Sewer Pipe	79	LF				
19	15" HDPE Sewer Pipe	34	LF				
20	24" HDPE Sewer Pipe	817	LF				

21	30" HDPE Sewer Pipe	582	LF				
22	36" HDPE Sewer Pipe	688	LF				
23	Concrete Headwall	1	Each				
24	Storm Manhole – 48" Base	6	Each				
25	Storm Manhole – 60" Base	3	Each				
26	Storm Manhole – 72" Base	1	Each				
Sanitary							
27	6" PVC Sewer Pipe, SDR 35 (Sanitary)	60	LF				
Water							
28	4" Class 52 Ductile Iron Waterline	50	LF				
29	4" Class 52 Ductile Iron Waterline, w/Frost Proofing	25	LF				
30	3/4" Type K Copper Water Service Connection	12	Each				
31	Relocate Hydrant Assembly	1	Each				
TOTAL							

TOTAL AMOUNT OF PROJECT (IN FIGURES)

TOTAL AMOUNT OF PROJECT (IN WORDS)

END OF SECTION